



Euro Christmas Tree

E-mail: info@euroelka.com / www.euroelka.com / www.eurochristmastree.com Phone: +7 985 22 77 500

Commercial Offer # 1

Artificial Christmas tree Series Standard-Class, Model "Crown"

certified for EU countries

September, 2011

Item #	Model Name	Christmas tree Specifications						Unit price, Euro
		Height, m	Height, ft	Base Diam, m	Base Diam, ft	Weight, kg	Branch material	
1	Crown	8,00	26,24	3,30	10,82	470,00	PVC film	6 470,00
2		9,00	29,52	3,70	12,14	640,00	PVC film	8 220,00
3		10,50	34,44	4,30	14,10	850,00	PVC film	10 550,00
4		12,00	39,36	5,00	16,40	1 170,00	PVC film	13 730,00
5		13,00	42,64	5,40	17,71	1 450,00	PVC film	16 090,00
6		14,00	45,92	5,90	19,35	1 630,00	PVC film	18 570,00
7		15,50	50,84	6,50	21,32	1 870,00	PVC film	21 290,00
8		18,00	59,04	7,60	24,93	2 730,00	PVC film	30 000,00
9		20,50	67,24	8,70	28,54	3 700,00	PVC film	39 870,00
10		23,00	75,44	9,80	32,14	4 900,00	PVC film	49 240,00
11		25,50	83,64	10,80	35,42	6 230,00	PVC film	62 100,00
12		28,00	91,84	11,90	39,03	7 770,00	PVC film	76 620,00
13		30,50	100,04	13,00	42,64	9 750,00	PVC film	94 620,00

Technical specifications of the tree:

cone-shaped metal frame
green paint-coated carcass
fire-proof nature friendly PVC film
Patent # 69724

Anchorage:

tree fastening anchors or concrete weights in the basement of the tree upright stability
(necessary as per Product Passport, supplied at additional cost)

Quotations valid for the season 2011 / 2012

Prices indicated at FCA-Moscow conditions (Incoterms-2010)

Delivery to destination available at additional cost

Light decorations, motifs and tree topings are available at request



Euro Christmas Tree

E-mail: info@euroelka.com / www.euroelka.com / www.eurochristmastree.com Phone: +7 985 22 77 500

Commercial Offer # 2

Artificial Christmas tree Series Standard-Class, Model "Pine Crown"

certified for EU countries

September, 2011

Item #	Model Name	Christmas tree Specifications						Unit price, Euro
		Height, m	Height, ft	Base Diam, m	Base Diam, ft	Weight, kg	Branch material	
1	Pine Crown	8,00	26,24	3,30	10,82	545,00	PVC needle	7 680,00
2		9,00	29,52	3,70	12,14	730,00	PVC needle	9 790,00
3		10,50	34,44	4,30	14,10	1 000,00	PVC needle	12 760,00
4		12,00	39,36	5,00	16,40	1 360,00	PVC needle	16 750,00
5		13,00	42,64	5,40	17,71	1 600,00	PVC needle	19 470,00
6		14,00	45,92	5,90	19,35	1 890,00	PVC needle	22 650,00
7		15,50	50,84	6,50	21,32	2 200,00	PVC needle	26 430,00
8		18,00	59,04	7,60	24,93	3 170,00	PVC needle	36 870,00
9		20,50	67,24	8,70	28,54	4 270,00	PVC needle	48 940,00
10		23,00	75,44	9,80	32,14	5 630,00	PVC needle	60 890,00
11		25,50	83,64	10,80	35,42	7 150,00	PVC needle	76 470,00
12		28,00	91,84	11,90	39,03	8 890,00	PVC needle	94 100,00
13		30,50	100,04	13,00	42,64	11 050,00	PVC needle	115 190,00

Technical specifications of the tree:

cone-shaped metal frame
green paint-coated carcass
fire-proof nature friendly PVC thread
Patent # 69724

Anchorage:

tree fastening anchors or concrete weights in the basement of the tree upright stability
(necessary as per Product Passport, supplied at additional cost)

Quotations valid for the season 2011 / 2012

Prices indicated at FCA-Moscow conditions (Incoterms-2010)

Delivery to destination available at additional cost

Light decorations, motifs and tree toppings are available at request



Euro Christmas Tree

E-mail: info@euroelka.com / www.euroelka.com / www.eurochristmastree.com Phone: +7 985 22 77 500

Commercial Offer # 3

Artificial Christmas tree Series Standard-Class, Model "Fairy Tale"

certified for EU countries

September, 2011

Item #	Model Name	Christmas tree Specifications						Unit price, Euro
		Height, m	Height, ft	Base Diam, m	Base Diam, ft	Weight, kg	Branch material	
1	Fairy Tale	8,00	26,24	4,10	13,45	420,00	PVC film	6 160,00
2		9,00	29,52	4,60	15,09	580,00	PVC film	7 830,00
3		10,50	34,44	5,40	17,71	770,00	PVC film	10 100,00
4		12,00	39,36	6,20	20,34	1 050,00	PVC film	13 270,00
5		13,00	42,64	6,70	21,98	1 310,00	PVC film	15 240,00
6		14,00	45,92	7,30	23,94	1 470,00	PVC film	17 660,00
7		15,50	50,84	8,10	26,57	1 680,00	PVC film	20 380,00
8		18,00	59,04	9,50	31,16	2 460,00	PVC film	28 850,00
9		20,50	67,24	10,90	35,75	3 330,00	PVC film	37 900,00
10		23,00	75,44	12,20	40,02	4 410,00	PVC film	46 970,00
11		25,50	83,64	13,50	44,28	5 610,00	PVC film	59 070,00
12		28,00	91,84	14,90	48,87	6 990,00	PVC film	72 990,00
13		30,50	100,04	16,20	53,14	8 780,00	PVC film	90 840,00

Technical specifications of the tree:

skirt-layered shape metal frame
 green paint-coated carcass
 fire-proof nature friendly PVC film
 Patent # 69724

Anchorage:

tree fastening anchors or concrete weights in the basement of the tree upright stability
 (necessary as per Product Passport, supplied at additional cost)

Quotations valid for the season 2011 / 2012

Prices indicated at FCA-Moscow conditions (Incoterms-2010)

Delivery to destination available at additional cost

Light decorations, motifs and tree toppings are available at request



Euro Christmas Tree

E-mail: info@euroelka.com / www.euroelka.com / www.eurochristmastree.com Phone: +7 985 22 77 500

Commercial Offer # 4

Artificial Christmas tree Series Standard-Class, Model "Fairy Pine"

certified for EU countries

September, 2011

Item #	Model Name	Christmas tree Specifications						Unit price, Euro
		Height, m	Height, ft	Base Diam, m	Base Diam, ft	Weight, kg	Branch material	
1	Fairy Pine	8,00	26,24	4,10	13,45	490,00	PVC needle	7 370,00
2		9,00	29,52	4,60	15,09	660,00	PVC needle	9 490,00
3		10,50	34,44	5,40	17,71	900,00	PVC needle	12 210,00
4		12,00	39,36	6,20	20,34	1 220,00	PVC needle	16 000,00
5		13,00	42,64	6,70	21,98	1 440,00	PVC needle	18 570,00
6		14,00	45,92	7,30	23,94	1 700,00	PVC needle	21 590,00
7		15,50	50,84	8,10	26,57	1 980,00	PVC needle	25 070,00
8		18,00	59,04	9,50	31,16	2 850,00	PVC needle	34 900,00
9		20,50	67,24	10,90	35,75	3 840,00	PVC needle	46 970,00
10		23,00	75,44	12,20	40,02	5 070,00	PVC needle	57 860,00
11		25,50	83,64	13,50	44,28	6 440,00	PVC needle	72 690,00
12		28,00	91,84	14,90	48,87	8 000,00	PVC needle	89 320,00
13		30,50	100,04	16,20	53,14	9 950,00	PVC needle	108 990,00

Technical specifications of the tree:

skirt-layered shape metal frame
green paint-coated carcass
fire-proof nature friendly PVC thread
Patent # 69724

Anchorage:

tree fastening anchors or concrete weights in the basement of the tree upright stability
(necessary as per Product Passport, supplied at additional cost)

Quotations valid for the season 2011 / 2012

Prices indicated at FCA-Moscow conditions (Incoterms-2010)

Delivery to destination available at additional cost

Light decorations, motifs and tree toppings are available at request



Euro Christmas Tree

E-mail: info@euroelka.com / www.euroelka.com / www.eurochristmastree.com Phone: +7 985 22 77 500

Commercial Offer # 5

Artificial Christmas tree Series Standard-Class, Model "Slim Crown"

certified for EU countries

September, 2011

Item #	Model Name	Christmas tree Specifications						Unit price, Euro
		Height, m	Height, ft	Base Diam, m	Base Diam, ft	Weight, kg	Branch material	
1	Slim Crown	8,00	26,24	2,50	8,20	360,00	PVC film	5 500,00
2		9,00	29,52	2,80	9,18	480,00	PVC film	6 920,00
3		10,50	34,44	3,20	10,50	640,00	PVC film	8 740,00
4		12,00	39,36	3,80	12,46	880,00	PVC film	11 310,00
5		13,00	42,64	4,10	13,45	1 000,00	PVC film	13 120,00
6		14,00	45,92	4,40	14,43	1 220,00	PVC film	15 240,00
7		15,50	50,84	4,90	16,07	1 400,00	PVC film	17 360,00
8		18,00	59,04	5,70	18,70	2 050,00	PVC film	24 310,00
9		20,50	67,24	6,50	21,32	2 780,00	PVC film	31 880,00
10		23,00	75,44	7,40	24,27	3 680,00	PVC film	39 410,00
11		25,50	83,64	8,10	26,57	4 670,00	PVC film	50 000,00
12		28,00	91,84	8,90	29,19	5 830,00	PVC film	61 800,00
13		30,50	100,04	9,80	32,14	7 310,00	PVC film	76 320,00

Technical specifications of the tree:

slim-like cone-shaped metal frame
green paint-coated carcass
fire-proof nature friendly PVC film
Patent # 69724

Anchorage:

tree fastening anchors or concrete weights in the basement of the tree upright stability
(necessary as per Product Passport, supplied at additional cost)

Quotations valid for the season 2011 / 2012

Prices indicated at FCA-Moscow conditions (Incoterms-2010)

Delivery to destination available at additional cost

Light decorations, motifs and tree toppings are available at request



Euro Christmas Tree

Phone: +7 985 22 77 500
E-mail: info@euroelka.com / www.euroelka.com / www.eurochristmastree.com

Commercial Offer # 6

Artificial Christmas tree Series HomeStead-Class, Models "Retro" & "Dream"

certified for EU countries

September, 2011

Item #	Model Name	Christmas tree Specifications						Unit price, Euro
		Height, m	Height, ft	Base Diam, m	Base Diam, ft	Weight, kg	Branch material	
1	Retro	3,00	9,84	2,20	7,22		PVC film	2 166,00
2		4,00	13,12	2,40	7,87		PVC film	2 599,00
3		5,00	16,41	2,70	8,86		PVC film	3 032,00
4		6,00	19,69	2,90	9,51		PVC film	3 651,00
5	Retro Pine	3,00	9,84	2,20	7,22		PVC needle	2 280,00
6		4,00	13,12	2,40	7,87		PVC needle	2 777,00
7		5,00	16,41	2,70	8,86		PVC needle	3 285,00
8		6,00	19,69	2,90	9,51		PVC needle	3 987,00
9	Dream	3,00	9,84	2,00	6,56	78,00	PVC film	2 269,00
10		4,00	13,12	2,40	7,87	133,00	PVC film	2 750,00
11		5,00	16,41	2,60	8,53	199,00	PVC film	3 232,00
12		6,00	19,69	2,80	9,19	280,00	PVC film	3 919,00
9	Dream Pine	3,00	9,84	2,00	6,56	100,50	PVC needle	2 463,00
10		4,00	13,12	2,40	7,87	169,00	PVC needle	3 045,00
11		5,00	16,41	2,60	8,53	254,50	PVC needle	3 643,00
12		6,00	19,69	2,80	9,19	361,00	PVC needle	4 475,00

Technical specifications of the tree:

Retro / Retro Pine tree:

central metal trunk, bell-shaped silhouette

Dream / Dream Pine tree:

central metal trunk, barrel-shaped silhouette

green paint-coated carcass

fire-proof nature friendly PVC film / thread

Anchorage:

tree fastening anchors or concrete weights in the basement of the tree upright stability
(necessary as per Product Passport, supplied at additional cost)

Quotations valid for the season 2011 / 2012

Prices indicated at FCA-Moscow conditions (Incoterms-2010)

Delivery to destination available at additional cost

Light decorations, motifs and tree toppings are available at request



Euro Christmas Tree

Phone: +7 985 22 77 500
E-mail: info@euroelka.com / www.euroelka.com / www.eurochristmastree.com

Commercial Offer # 7

Artificial Christmas tree Series Pre-Lit Tree, Model "Light Crown"

September, 2011

Item #	Model Name	Pre-Lit Christmas tree Specifications									
		Height, m	# of LEDs	Colour / Price, EU	Colour / Price, EU	Colour / Price, EU	Colour / Price, EU	Colour / Price, EU	Colour / Price, EU	Colour / Price, EU	Colour / Price, EU
1	Light Crown	8,00	12 480	13 963,00	15 055,00	13 963,00	14 993,00	14 448,00	15 268,00	14 993,00	15 268,00
2		9,00	16 128	17 453,00	18 865,00	17 453,00	18 785,00	18 080,00	19 138,00	18 785,00	19 138,00
3		10,50	22 656	22 700,00	24 683,00	22 700,00	24 573,00	23 580,00	25 068,00	24 573,00	25 068,00
4		12,00	29 952	29 180,00	31 803,00	29 180,00	31 655,00	30 345,00	32 310,00	31 655,00	32 310,00
5		13,00	35 328	34 238,00	37 330,00	34 238,00	37 155,00	35 610,00	37 930,00	37 155,00	37 930,00
6		14,00	41 472	39 965,00	43 595,00	39 965,00	43 390,00	41 575,00	44 298,00	43 390,00	44 298,00
7		15,50	51 456	47 505,00	52 008,00	47 505,00	51 755,00	49 503,00	52 880,00	51 755,00	52 880,00
8		18,00	70 272	64 833,00	70 980,00	64 833,00	70 635,00	67 560,00	72 173,00	70 635,00	72 173,00
9		20,50	92 544	84 895,00	92 993,00	84 895,00	92 538,00	88 490,00	94 563,00	92 538,00	94 563,00
10		23,00	117 888	106 095,00	116 410,00	106 095,00	115 830,00	110 673,00	118 410,00	115 830,00	118 410,00
11		25,50	147 072	132 078,00	144 948,00	132 078,00	144 223,00	137 790,00	147 440,00	144 223,00	147 440,00
12		28,00	177 792	160 335,00	175 893,00	160 335,00	175 018,00	167 240,00	178 908,00	175 018,00	178 908,00
13		30,50	209 280	192 575,00	210 888,00	192 575,00	209 858,00	200 700,00	214 435,00	209 858,00	214 435,00

Technical Specifications of Pre-Lit Tree Series:

every single branch of the artificial tree is prefabricated with a wound-up LED-garland on it (total 48 LEDs per branch)
LED dimensions: Diametre 5 mm; out-door use water proof, with a plastic cap on to disperse the light
Every garland has its own connection dock. Electric currency 24V

Pre-Lit tree Series supply set:

electric cords with connectors, electric Control&Power Unit box with transformers, switch boards, LED bridges, fuse components, cooling vent and processor unit for programming dynamic light effects of the tree

Quotations valid for the season 2011 / 2012

Prices indicated at FCA-Moscow conditions (Incoterms-2010)

Delivery to destination available at additional cost

Light decorations, motifs and tree toppings are available at request